

BOOKS Icc Es Evaluation Report Esr 3887.PDF. You can download and read online PDF file Book Icc Es Evaluation Report Esr 3887 only if you are registered here. Download and read online Icc Es Evaluation Report Esr 3887 PDF Book file easily for everyone or every device. And also You can download or read online all file PDF Book that related with Icc Es Evaluation Report Esr 3887 book. Happy reading Icc Es Evaluation Report Esr 3887 Book everyone. It's free to register here to get Icc Es Evaluation Report Esr 3887 Book file PDF. file Icc Es Evaluation Report Esr 3887 Book Free Download PDF at Our eBook Library. This Book have some digital formats such us : kindle, epub, ebook, paperbook, and another formats. Here is The Complete PDF Library

ICC-ES Evaluation Report ESR-1702

C). The Hardening Times Are Noted In Table 3. 3.2.2 Threaded Rods: All Thread Rods Must Be Carbon Steel, Manufactured From Steel Complying With ASTM A307, Grade C [F. U = 60,000 Psi (400 MPa), Minimum] Or ASTM A193, Grade B7 [F. U = 125,000 Psi (860 MPa), , Minimum]. Specifications And Installation Details For Threaded Rods Are Noted In Table 1. 18th, 2024

ICC-ES Evaluation Report ESR-1271

Of AISI S240 (Section D1.5 Of AISI S200 For The 2015, 2012 And 2009 IBC)]. For Screws Used In Applications Other Than Framing Connections, The Minimum Spacing Between The Fasteners Must Be Three Times

The Nominal Screw Diameter And The Minimum Edge And End Distance Must Be 1.5 Times The Nominal Screw Diameter. Additionally, Under The 2009 IBC, 1th, 2024

ICC-ES Evaluation Report ESR-3330

ESR-3330 | Most Widely Accepted And Trusted Page 3 Of 7 TABLE 1—HOLLO-BOLT® BLIND FASTENER TECHNICAL DATA PART NUMBER & DESCRIPTION DIMENSIONAL INFORMATION³ (inches) TECHNICAL ALLOWABLE LOADING² Hollo-Bolt Part Number Hollo-Bolt (Core Bolt Size) Description 19th, 2024

ICC-ES Evaluation Report ESR-1078 - FastenMaster

ESR-1078 | Most Widely Accepted And Trusted Page 2 Of 8 Specifications, With A Minimum Ultimate Tensile Strength Of 60 Ksi (414 MPa), And Have A Proprietary Finish. Minimum Bending Yield Strengths Of The Fasteners Are Listed In Tables 1A Through 1F Of This Report. 4.0 DESIGN AND INSTALLATION At The Minimum End And Edge Distances Listed In Table ... 12th, 2024

ICC-ES Evaluation Report ESR-3187

Of ACI 318-14 Or Section 7.3.2 Of ACI 318-11 , As Applicable, With The Additional Condition That The Bar S Must Be Bent Cold, And Heating Of Reinforcing Bars To Facilitate Field Bending Is Not Permitted. 3.3

Concrete: Normal-weight Concrete Must Comply With 1903 Se 2th, 2024

ICC-ES Evaluation Report ESR-4460

Accordance With ACI 31814 17.4.2 Or ACI 318- 11 D.5.2, - As Applicable, With Modifications As Described In This Section. The Basic Concrete Breakout Strength Of A Single Anchor In Tension, Nb, Must Be Calculated In Accordance With ACI 318-14 17.4.2.2 Or ACI 318-11 D.5.2.2, As Appl 10th, 2024

ICC-ES Evaluation Report ESR-4266 - Hilti

ACI 318-14 17.4.2.2 Or ACI 318-11 D.5.2.2, As Applicable, Using The Values Of Hef And Kcr As Given In Table 4 And Table 5. The Nominal Concrete Breakout Strength In Tension In Regions Where Analysis Indicates No Cracking In Accordance With ACI 318-19 17.6.2.5.1, ACI 318-14 17.4.2.6 Or ACI 3 6th, 2024

ICC-ES Evaluation Report ESR-3599

Required In ACI 318-14 17.2.3 Or ACI 318-11 D.3.3, As Applicable. Strength Reduction Factors, , As Given In ACI 318-14 17.3.3 And ACI 318-11 D.4.3, As Applicable, For Cast-in Headed Anchors, Must Be Used For Load Combinations Calculated In Accordance With Section 1605.2 Of The IBC, Section 5.3 Of ACI 14th, 2024

ICC-ES Evaluation Report ESR-2818

ACI 318-14 17.3.1 Or ACI 318-11 D.4.1, As Applicable, Except As Required In ACI 318-14 17.2.3 Or ACI 318-11 D.3.3, As Applicable. Strength Reduction Factors, , As Given In ACI 318-14 17.3.3 Or ACI 318-11 D.4.3, As Applicable, And Noted In Tables 2 And 3 Of This Report, Must Be Used For 9th, 2024

ICC-ES Evaluation Report ESR-2935

With ACI 318-19 Sections 20.5 And 25.4.4.1 And ACI 318-14 Sections 20.6 And 25.4.4.1 for The 2021, 2018 And 2015 IBC (ACI 318s 7.7 -and 11 Section 12.6.1 For The 2012 IBC), As Applicable, And Must Be Measured From The Outer Surface Of The HRC 555 Headed Reinforcing Bar's Head. 3th, 2024

ICC-ES Evaluation Report ESR-3517

ACI 318-14 (IBC 2015) And Must Be Measured From The Outer Surface Of The Splices. 5.4 Splice Locations Must Comply With The Applicable ACI 318-IBC14 (2015) Requirements And Must Be Noted On Plans Approved By The Code Official. 5.5 For Structures Regulated By Chapter 18 Of ACI 317th, 2024

ICC-ES Evaluation Report ESR-4214

2018, 2015, 2012 And 2009 International Building Code® (IBC) 2018, 2015, 2012 And 2009 International Residential Code® (IRC) Property Evaluated: Structural 2.0 USES The SaberDrive Platinum™ Screws Described In This Report Are Alternate Dowel-type, Multi-purpose

Screws Used In Engineered Wood-to-wood Connection Applications. The 11th, 2024

ICC-ES Evaluation Report ESR-3814 - Hilti

3.2.2.2 Hilti Safe-Set™ System: For The Elements Described In Sections 3.2.5.1 Through 3.2.5.3 And Section 3.2.6, The Hilti TE-CD Or TE-YD Hollow Carbide Drill Bit With A Carbide Drilling Head Conforming To ANSI B212.15 Must Be Used When U. Sed In Conjunction With A Vacuum H 1th, 2024

ICC-ES Evaluation Report ESR-2994 Reissued August 2019 ...

Red-I Joists Are Prefabricated Wood I-joists Used As Floor Joists, Roof Rafters And Blocking Panels, To Support Code-required Loads. Red-I Joists Described In Table 1 Are Also Used As Rim Joists, To Provide The Transfer Of Vertical Loads At The Rim Joist Locat 18th, 2024

ICC-ES Evaluation Report ESR-3168

6.2 Test Data In Accordance With ASTM D7031 For Bending, Compressive Stress Parallel To Longitudinal Direction (F_c), Compressive Stress Perpendicular To Longitudinal Direction ($F_{c\perp}$) And Shear Stress (F_v). 7.0 IDENTIFICATION 7.1 The Deck Board And Fascia Board Described In T 11th, 2024

ICC-ES Evaluation Report ESR-2151 - Duradek

Durock Cement Board Next Gen And Plywood Substrates, As Described In Section 3.2.3 Of This Report. When Installed In Accordance With This Report, The System Has A Class A Roof Classification, Class C Roof Classi 12th, 2024

ICC-ES Evaluation Report ESR-3317*

3.2.1 Studs: The Shear Studs Used In The Conco Companies PSR Reinforcement Assemblies Are 3/ 8-, 1/ 2-, 5/ 8- And 3/ 4-inch-diameter (9.5, 12.7, 15.9 And 19.1 Mm) Nelson Punching Shear Resistor (PSR) Studs Recognized In ICC-ES Evaluation Report ESR-1170. The Studs Meet Th 5th, 2024

ICC-ES Evaluation Report ESR-1078

Are Heat-treated. These Fasteners Depart From ANSI B18.2.1 And B18.6.1 In Thread Design, Exceed The Bending Yield Strengths Documented In Table A2 Of The 2015 Edition Of The American Wood Council (AWC) Technical Report 12, And Are Not Installed With Lead Holes In Accordance With The ANSI 11th, 2024

ICC-ES Evaluation Report ESR-2273

FONTANA, CALIFORNIA 92337 (800) 942-7343
Www.jameshardie.com Info@jameshardie.com TABLE 3—WATER VAPOR PERMEANCE VALUES FOR UNVENTED SOFFIT PRODUCTS PRODUCT THICKNESS (inch) PERMEANCE (perms) 1/ 4 1.75 For SI: 1 Inch = 25.4 Mm, 1 Perm = 57 Mg/(s•m²•Pa) TABLE

4—VENTILAT 9th, 2024

ICC-ES Evaluation Report ESR-1112

Tectum I Panels And Tiles Used As Acoustical Board And Suspended Ceiling Tiles Are Fabricated From 1- To 2-inch-thick (25 To 51 Mm) Material And Are Available In Various Sizes With Square, Beveled Or Face-rabbeted Edges. Panels With Face-rabbeted Edges Are Also Available In Maxim 12th, 2024

ICC-ES Evaluation Report ESR-1066

Mm) On Center. All Siding Panels Used In Horizontal CERTAINTED VINYL SIDING AND SOFFIT 18 Inches (457.2 Mm) On Center On The Underside To
ADDITIONAL LISTEES: VINYL CARPENTRY 750 EAST SWEDES FORD ROAD VALLEY FORGE, PENNSYLVANIA 19482 (610) 341-7000 WOLVERINE SIDING SYSTEMS 75 3th, 2024

ICC-ES Evaluation Report ESR-1735P

Vercor Decking, Inc. 4340 North 42nd Avenue Phoenix, Arizona 85019 602-272-1347 www.vercodeck.com
Evaluation Subject: Vercor Steel Deck Panels: Hsb, Plb, N And Pln Roof Deck Panels B, Br, Plb, N, Pln, W2, Plw2, W3 And Plw3 Formlok Deck Panels Plb, Hsb, Pln, And N Acoustical Roof Deck Panels 9/ 16-inch (shallow) Vercor, 1 5/ 16-inch (deep) File Size: 805KB 13th, 2024

ICC-ES Evaluation Report ESR-3267

2018 IBC Section 1507.2.7 (2015, 2012, 2009 And 2006 IBC Section 1507.2.8.2 Or 2018 And 2015 IRC Section R905.2.7 (2012, 2009 And 2006 IRC Section R905.2.7.1) As Applicable. 4.2 Installation—Reroofing: When Installed Over Existing Class A Or Class C Asphalt Shingle Roofs In Accordance With This Section, The Shingles 13th, 2024

ICC-ES Evaluation Report ESR-2948

Of The 2009 And 2006 IBC. The Anchor System Is An Alternative To Cast-in-place Anchors Described In Section 1908 Of The 2012 And Section 1911 Of The 2009 And 2006 IBC. The Anchors May Also Be Used Where An Engineered Design Is Submitted In Accordance With Section R301.1.3 Of The IRC. 3.0 DESCRIPTION 3.1 Fischer FAZ II: 18th, 2024

ICC-ES Evaluation Report ESR-3373

Feb 17, 2021 · With IRC Section R602.10.2 When Installed In Accordance With Table 1. The Panels Are Recognized As Equivalent To Wood Structural Panels Used In Bracing Method WSP And May Be Used With Amounts Of Bracing (lengths) Specified In 2018, 2015 And 2012 IRC Table R602.10.3(1) And 2009 IRC Table R602.10.1.2(1), Entitled “Bracing Requirements 4th, 2024

There is a lot of books, user manual, or guidebook that

related to Icc Es Evaluation Report Esr 3887 PDF in the link below:

[SearchBook\[MjlvMTQ\]](#)